

Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 1 178 384 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
06.02.2002 Bulletin 2002/06

(51) Int Cl.7: **G06F 1/00**

(21) Application number: **00410088.9**

(22) Date of filing: **31.07.2000**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE**  
Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventor: **Sauvage, Pierre**  
**38450 Notre Dame de Compliers (FR)**

(74) Representative: **Lloyd, Richard Graham**  
**Intellectual Property Section, Legal Department,**  
**HEWLETT-PACKARD FRANCE, Etablissement**  
**de Grenoble**  
**38053 Grenoble Cedex 9 (FR)**


(71) Applicant: **Hewlett-Packard Company, A Delaware**  
**Corporation**  
**Palo Alto, CA 94304 (US)**

(54) **Dynamic resource control in a processing system**

(57) The invention suggests providing in a processing system a licence controller (1), for controlling use of a resource by processes (3, 5, 7); for each process to be controlled, there is provided an inter-process communication (9, 11) between the process and the licence controller. A process and the licence controller exchange through the inter-process communication of the

process information regarding actual and allowed use of the resource by the process. According to this information, the process may be controlled, be it on a self-control basis or through control of the licence controller.

Use of the resource to be dynamically adapted; high availability is guaranteed since processes may operate even when the licence controller fails.



**Fig. 1**

EP 1 178 384 A1

## Description

**[0001]** The invention relates to processing systems, and more specifically to resource control in a processing system. It notably applies to controlling licences in multiprocessing telecommunication systems or in computers.

**[0002]** Resource control is used in the field of computers for controlling software or hardware licences. Current licensing control schemes fall into three main categories:

- installation time;
- hardware protection;
- start-up time.

**[0003]** Other products - such as the products of Oracle - rely on the user and do not use any licensing control scheme.

**[0004]** Installation time protection is often used for PC software and requires input of a password when the software is installed; the password being provided at the time the product is purchased. Hardware protection schemes make it necessary to connect a hardware protection device to the computer system in order to use the resource. The behaviour of the protection device is scanned in order to allow or prohibit use of the resource. Start-up time protection is used for HP Open Call SS7; the application program relies on the licence granted at start-up time.

**[0005]** These schemes have the following drawbacks. They do not allow dynamic control of the licence, or more generally, dynamic control of the use of a resource. An application needs to be stopped in order to change its licence status.

**[0006]** In the field of multiprocessing systems, such as telecommunication multiprocessing systems, there is a particular need for a resource control scheme to overcome these drawbacks. Multiprocessing systems used in telecommunications need to allow real-time and continuous use of applications in variable load conditions. This need for a resource control scheme is also present in other types of processing systems that only feature a single processor.

**[0007]** The applicant provides under the trademark HP Open Call SS7 a platform for telecommunication Common Channel Signalling systems operating under CCITT Signalling System n°7. The HP Open Call SS7 system is a multiprocessing system; it is part of a signalling network existing within the telecommunication network and controlling it. The operation of these platforms is generally satisfactory, but could still be improved as regards licensing technology. Current licensing technologies used within the applicant's HP Open Call SS7 are process-oriented; the licensing controls the process behaviour; the licensing scheme is static and does not allow dynamic upgrade. Last, all components implement the complete licensing processing: key com-

putation, interface, documentation, licensing logic - such as actions in case of misused licence, logs, alarms, etc.

**[0008]** Windows 2000 allows control of CPU time by the various applications. At the time an application is started, the ratio of CPU time used by the application may be limited. This solution is not dynamic, and implies that an application needs to be shut down and restarted in order to limit CPU access.

**[0009]** This invention is directed to overcoming these problems by improving the control of the use of a resource in a multiprocessing system, or in a single-processor system. The invention provides dynamic control of the use of the resource, high availability of the processes and the possibility of on-line upgrades whilst avoiding needless processing in the controlled process and simplifying interface documentation and behaviour.

- More specifically, the invention provides a process for controlling the use of a resource by at least one process in a processing system, comprising the steps of providing a licence controller,
- for each process using the resource, providing an inter-process communication with the licence controller;
- communicating actual or allowed uses of the resource between a process and the licence controller through the inter-process communication;
- controlling the use of the resource by the process according to the communicated actual or allowed uses.

**[0010]** In one embodiment of the invention, the step of communicating comprises having the licence controller update an inter-process communication of a process according to the use of the resource allowed for the process. In this case, the step of communicating may comprise having a process read from its inter-process communication the allowed use of the resource.

**[0011]** In another embodiment of the invention, the step of communicating comprises having the licence controller read from the inter-process communication of a process the actual use of the resource by the process.

**[0012]** In both embodiments, the step of controlling may comprise, for the process, adapting its operation to the allowed use of the process. The step of controlling is may be carried out by the licence controller.

**[0013]** In yet another embodiment of the invention, the processes comprise a plurality of identical processes, and the step of communicating comprises having the licence controller update the inter-process communication of said identical processes while sharing use of the resource between said identical processes.

**[0014]** The invention notably can be applied to multiprocessing systems.

**[0015]** The invention further relates to a processing system, comprising a resource and at least one process using the resource; a licence controller; an inter-process

communication between the licence controller and each process, wherein an inter-process communication contains information representative of the allowed use of the resource by its process.

[0016] Last, the invention provides a processing system, comprising a resource and at least one process using the resource; a licence controller; an inter-process communication between the licence controller and each process, wherein an inter-process communication contains information representative of the actual use of the resource by its process.

[0017] A system embodying the invention will now be described, by way of nonlimiting example, and with reference to the accompanying drawings, wherein:

- figure 1 is a schematic view of a multiprocessing system embodying the invention;
- figure 2 is a flowchart of the operation of the system of figure 1;
- figure 3 is a schematic view of another multiprocessing system embodying the invention.

[0018] Whilst the invention is described below with reference to a preferred embodiment, where it is applied to licence control in a multiprocessing system, it will be understood that the invention may be applied more generally to control any type of distributed resource, e. g. for controlling memory size, rate of CPU time, access to disks, peripherals, printers, networks, etc. The invention applies not only to multiprocessing systems, but also more generally to any type of processing system, including single-processor systems such as conventional personal computers.

[0019] According to the invention, a licence controller is provided for each process to be controlled, for controlling the licensing of the process. An inter-process communication mechanism between the process and the licence controller is also provided. Through the inter-process communication, a process and the licence controller exchange information regarding actual and allowed use of the resource by the process. According to this information, the process may be controlled. The invention applies to a multiprocessing system, inasmuch as the licence controller is a process separate from other processes.

[0020] Figure 1 is a schematic view of a multiprocessing system embodying the invention: it shows a licence controller 1, and two resource users, that is a process 3 and an application 5 with its attached library 7. There is provided a memory 9 that is shared between process 3 and licence controller 1. Shared memory 9 thus acts as an inter-process communication between process 3 and licence controller 1. There is provided another memory 11 shared between library 7 and licence controller 1. Shared memory 11 thus acts as an inter-process communication path between library 7 and licence controller 1. Shared memories 9 and 11 may be independent memories, or may be segments of the same

physical memory. In any case, memories 9 and 11 are functionally independent.

[0021] The licence controller 1 is a process designed to allocate use of resources - in the present embodiment, it is designed to control the operation of process 3 and application 5, that is the amount of work unit rate for the process or for the application. Shared memories 9 and 11 act as inter-process communication paths that allows each process to communicate with the other process. It will be understood that other types of inter-process communication could be used, e. g. a socket or a file. A shared memory permits a heart beat scheme to be implemented, as exemplified below. Where as a socket simply returns to one of the processes a signal originating from the other process, a shared file may be accessed successively by the process and the licence controller. A time-lock that is reassessed each time a process accesses the file also allows the licence controller to control the activity of the process.

[0022] Process 3 and library 7 each define a work unit, which is an activity unit or a resource unit - such as memory or CPU requirement -, the operation of which needs to be controlled.

[0023] The operation of the system of figure 1 is now described, with reference to figure 2, which is a flowchart of the operation of the system of figure 1, as regards process 3. It is assumed in this description that process 3 is started before application 5. In step 10, process 3 is started, and memory 9 is allocated for the inter-process communication. Process 3 then writes in the inter-process communication information regarding its identity and its work unit rate. This information may comprise, for instance:

- licensing revision;
- process name;
- protocol entity;
- work unit type;
- actual work unit rate.

[0024] At step 12, memory 9 is attached to the licence controller enabling the licence controller to communicate with the process. The process is identified by the information contained in the inter-process communication at the time it is attached to the licence controller.

[0025] At step 14, licence controller 1 computes an allowed use for process 3; where the invention is applied to licence control, the computed information is representative of the operation of process 3 allowed under the licence; in the case of a telecommunication signalling network, the computed information may represent a transaction rate, a call rate, or a link number: more generally, the computed information is representative of the activity unit or resource unit rate. Licence controller 1 writes the computed information into shared memory 9.

[0026] At step 16, process 3 writes actual work unit rate into shared memory 9. At this time, shared memory

contains both the licensed work unit rate and the actual work unit rate for the process. The actual work unit rate may thus be compared to the licensed work unit rate, as indicated in box 18. If the actual work unit rate is higher than the licensed work unit rate, as indicated at 20, action may be taken by the process, or by the licence controller, since the information is available to both. Else, as symbolised by arrow 22, licence controller 1 or process 3 may update the licensed or actual work unit rate at any time.

[0027] Thus, once process 3 is started, it may at any time read licence information from shared memory 9, and adapt its operation to the licence information read. Similarly, licence controller 1 may at any time write into shared memory 9 update licence information for controlling the operation of process 3, or take whatever necessary action according to the actual work unit rate read from the shared memory.

[0028] The operation of the system of figure 1 as regards library 7 is similar. Licence controller 1 may thus control operation of library 7 and application 5.

[0029] The operation of the system, as exemplified above, provides the following advantages: the operation is process oriented, and licence controller 1 may control operation of each process independently; in addition, operation of an application may be controlled through its library. In addition, as discussed in reference to figure 2, licensing is dynamic, and may be updated at any time during the operation of a process. It can be seen that high availability for the processes is ensured; processes may be restarted even if the licence controller is not available, or may continue their operation even when and if the licence controller is not active. This allows the licence controller to be updated or modified without impacting the operation of controlled processes.

[0030] In addition, the information stored in the inter-process communication may comprise a work unit tolerance, indicating, for instance, if the licensed rate may be exceeded for a given period of time. This feature is particularly useful for telecommunication systems, where a traffic peak may have to be dealt with for a short period of time. Last, the information stored in the inter-process communication may comprise action to be taken in case of excess of licensed work unit rate or action to be taken in case of excess of work unit tolerance. This allows action to be taken either by the process or by the licence controller.

[0031] The invention thus allows the licensing processing to be implemented in the licence controller, and not necessarily in each and every process. This makes it possible to simplify the operation of a process, by only requiring ability to address the inter-process communication. Key computation, interface documentation, licensing logic - actions in case of misused licence, logs and alarm - may be implemented in the licence controller only, for all controlled processes.

[0032] Figure 3 is a schematic view of another multiprocessing system embodying the invention. The sys-

tem comprise three processes 26, 28 and 30, and the invention is used for sharing load between the processes. Inter-process communications 32, 34, 36 are provided between each process and a licence controller 38.

At start-up time, assuming there are  $m$  processes, and the overall licence for this type of processes is  $n$ , the right for each process is  $n/m$ . If a process fails, this may be noticed by the licence controller - either because the actual work unit rate decreases, or because there is no update of the actual work unit rate. The licence controller may then increase the licensed working rate for the other processes to  $n/(m-1)$ .

[0033] Whenever a process needs to be stopped, the licence controller may progressively and gracefully decrease the licensed work unit rate. On the contrary, a licensed work unit rate may be increased progressively: for instance, when a new process is installed, it may be started for test purposes with a reduced licensed working rate. The licensed working rate may thereafter be increased, at the end of the testing phase.

[0034] The invention thus provides dynamic update, load sharing, and a graceful stopping of processes.

[0035] The invention is of particular advantage when applied in telecommunication multiprocessing systems, such as the HP Open Call SS7 platform of the applicant. Complete and accurate control of licences, or of the use of resources, can be achieved without any detrimental effect on the operation of the system.

[0036] Although the invention has been explained in reference to preferred embodiments, it should be understood that it is not limited to these embodiments, and that various changes or modifications can be contemplated by the person skilled in the art, without departing from the invention, as determined by the appended claims. For instance, in the preferred embodiment, the actual work unit rate and the licensed work unit rate were both written in the inter-process communication. However, the invention could also apply where only the licensed work unit rate is written to the inter-process communication, in case where any action to be taken is taken by the process. It could also apply if only the actual licence rate is written to the inter-process communication by the process, inasmuch as any action to be taken is taken by the licence controller.

[0037] In the description above, the "process" may cover any resource user. Specifically, the "process" could be an actual process, in the usual meaning of this term, a library, a hardware device, etc.

[0038] As discussed above, the invention was described in reference to the preferred embodiment of a multiprocessing system; it may also be applied to a system having a single processor, for controlling use of resources. It may thus apply for controlling CPU use in a multitask system, for controlling licenses, or for controlling use of peripherals or other hardware or software resources.

**Claims**

1. A process for controlling the use of a resource by at least one process in a processing system, comprising the steps of

5

- providing a licence controller,
- for each process using the resource, providing an inter-process communication with the licence controller;
- communicating actual or allowed uses of the resource between a process and the licence controller through the inter-process communication;
- controlling the use of the resource by the process according to the communicated actual or allowed uses.

10

15

2. The process of claim 1, wherein the step of communicating comprises having the licence controller update an inter-process communication of a process according to the use of the resource allowed for the process.

20

3. The process of claim 2, wherein the step of communicating comprises having a process read from its inter-process communication the allowed use of the resource.

25

4. The process of any one of claims 1 to 3, wherein the step of communicating comprises having the licence controller read from the inter-process communication of a process the actual use of the resource by the process.

30

35

5. The process of any one of claims 1 to 4, wherein the step of controlling comprises, for the process, adapting its operation to the allowed use of the process.

40

6. The process of any one of claims 1 to 4, wherein the step of controlling is carried out by the licence controller.

7. The process of any one of claims 1 to 6, wherein the processes comprise a plurality of identical processes, and wherein the step of communicating comprises having the licence controller update the inter-process communication of said identical processes while sharing use of the resource between said identical processes.

45

50

8. The process of any one of claims 1 to 7, wherein the processing system is a multiprocessing system.

55

9. A processing system, comprising :

- a resource and at least one process using the

resource;


- a licence controller;
- an inter-process communication between the licence controller and each process,

wherein an inter-process communication contains information representative of the allowed use of the resource by its process.


10. A processing system, comprising

- a resource and at least one process using the resource;
- a licence controller;
- an inter-process communication between the licence controller and each process,


wherein an inter-process communication contains information representative of the actual use of the resource by its process.



*Fig. 1*



*Fig. 2*



***Fig. 3***



European Patent  
Office

# EUROPEAN SEARCH REPORT

Application Number  
EP 00 41 0088

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 5 940 504 A (GRISWOLD GARY N) 17 August 1999 (1999-08-17) * column 5, line 39 - line 60 * * column 9, line 5 - column 10, line 13 *	1-6,9,10	G06F1/00
Y	* figures 1,2 *	7,8	
Y	US 6 023 766 A (YAMAMURA KAZUYUKI) 8 February 2000 (2000-02-08) * column 1, line 36 - line 60; figures 1,2,20 *	7,8	
A	* column 5, line 42 - line 49 * * column 7, line 49 - column 8, line 15 * * column 10, line 42 - line 62 *	1-6,9,10	
A	US 5 745 694 A (EGAWA TAKASHI ET AL) 28 April 1998 (1998-04-28) * abstract; figure 1 *	6	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			G06F
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
THE HAGUE		12 December 2000	Arbutina, L
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone  Y : particularly relevant if combined with another document of the same category  A : technological background  O : non-written disclosure  P : intermediate document</p> <p>T : theory or principle underlying the invention  E : earlier patent document, but published on, or after the filing date  D : document cited in the application  L : document cited for other reasons  &amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/82 (P44011)



**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 41 0088

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12-12-2000

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 5940504	A	17-08-1999	AU	2305292 A	11-02-1993
			WO	9301550 A	21-01-1993
US 6023766	A	08-02-2000	JP	10228504 A	25-08-1998
US 5745694	A	28-04-1998	JP	2776301 B	16-07-1998
			JP	8125654 A	17-05-1996

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82